

From: Kelley Chase/R3/USEPA/US
Sent: 4/10/2012 6:13:34 PM

To: "Gilberto Irizarry" <Irizarry.Gilberto@epamail.epa.gov>; "carney.dennis@epa.gov" <carney.dennis@epa.gov>; "heston.gerald@epa.gov" <heston.gerald@epa.gov>; "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov>

CC:

Subject: Fw: Dimock Residential Ground Water Sampling - DRAFT Week #3 Residential Data Reports

Please note that the residential data reports were just sent to the HQs EU. I am still waiting to receive the toxicologist report from our contractor. As discussed below, the "tox report" includes additional information (e.g. lab qualifiers, MDLs, QLs, RLs) to assist our R3 tox in her review of the data.

I am expecting to receive the tox reports later tonight and will forward them to HQs EU and our R3 tox.

Thanks - Kelley

----- Forwarded by Kelley Chase/R3/USEPA/US on 04/10/2012 06:08 PM -----

From: Kelley Chase/R3/USEPA/US
To: eoc_environmental_unit@epa.gov
Cc: loven.Dawn@epamail.epa.gov, Robert Helverson/R3/USEPA/US@EPA, Lora Werner/R3/USEPA/US@EPA, Karl V Markiewicz <markiewicz.karl@epa.gov>
Date: 04/10/2012 06:06 PM
Subject: Dimock Residential Ground Water Sampling - DRAFT Week #3 Residential Data Reports

Attached please find PDFs of the Residential Data Reports for the 17 locations sampled during Week #3 (2/6/12 - 2/10/12). While the data has been validated and is considered final, the Region just received the reports from our contractor and will be conducting a concurrent review with HQs in order to finalize the reports. As such, the reports are still considered DRAFT. Please be sure to limit the distribution of these reports to an internal review

Ex. 5 - Deliberative

Ex. 5 - Deliberative

Ex. 5 - Deliberative

A glossary/key to the data report is also included.

Please feel free to contact me with any questions and/or if you need additional info.

Thank you - Kelley

[attachment "Updated 4-4-12- Key to Residential Sampling Results.pdf" deleted by Kelley Chase/R3/USEPA/US]
[attachment "HW-54.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-15a.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-16.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-21.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-22.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-23.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-30.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-31.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-36.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-38.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-43.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-44.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-45.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-47.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-48.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-49.pdf" deleted by Kelley Chase/R3/USEPA/US] [attachment "HW-51.pdf" deleted by Kelley Chase/R3/USEPA/US]